

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069661 A2

- (51) International Patent Classification: **H04Q 7/38**
- (21) International Application Number: PCT/EP02/01995
- (22) International Filing Date: 22 February 2002 (22.02.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/271,937 26 February 2001 (26.02.2001) US
09/849,086 4 May 2001 (04.05.2001) US
- (71) Applicant (for all designated States except US): TELEFONAKTIEBOLAGET L M ERICSSON (PUBL) [SE/SE]; S-126 25 Stockholm (SE).
- (81) Designated States (national): AE, AG, AL, AM, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), DE (utility model), DK (utility model), DM, DZ, EC, EE (utility model), ES, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (72) Inventors; and
(75) Inventors/Applicants (for US only): JOHANNESSON, Regina [SE/SE]; Kvamkroken 16, S-226 47 Lund (SE). HEDBERG, Anne-Lott [SE/SE]; Notariegränden 48, S-226 47 Lund (SE).
- (74) Agent: HOFMAN-BANG ZACCO A/S; Hans Bekkevolds Allé 7, DK-2900 Hellerup (DK).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR PLMN SELECTION



(57) Abstract: A method for selecting a public land mobile network (15) to serve a mobile station (10) includes the step of receiving at the mobile station (10) a list (35) of data associated with networks (15) neighboring the PLMN (15) currently serving the mobile station (10). A new PLMN (15) to serve the mobile station (10) is selected based upon the list (35) of data, and the mobile station (10) changes to the selected new PLMN (15).

WO 02/069661 A2

METHOD FOR PLMN SELECTION

RELATED APPLICATION(S)

This application is a Continuation-in-Part of, and incorporates herein
5 by reference, the entire disclosure of U.S. Provisional Application No.
60/271,937 filed February 26, 2001.

TECHNICAL FIELD

The present invention relates to the selection of public land mobile
networks (PLMNs) for serving a mobile station, and more particularly, to
10 selecting PLMNs to improve mobile station battery life and connection
efficiencies.

BACKGROUND OF THE INVENTION

Existing standards require a mobile station (MS) to locate a best
15 possible public land mobile network (PLMN) for serving the mobile station by
performing a PLMN selection process. This process involves the mobile
station scanning for a PLMN other than the registered PLMN (RPLMN) which
is presently serving the mobile station. This reselection of a PLMN by mobile
station is initiated by the mobile station moving outside of coverage area of
20 the RPLMN presently serving the mobile station or by expiration of a home
public land mobile network (HPLMN) timer. Expiration of the HPLMN timer
causes the mobile station to search for its home public land mobile network.

The problem with the present standard for selecting PLMNs for a
mobile station arises when the mobile station moves to an area where a
25 better PLMN for serving mobile station may be available, but the mobile
station still resides within the coverage area of its presently serving RPLMN.
In this situation the mobile station will stay within the coverage area of the
RPLMN even though a better choice of PLMN is available. Also, under the
present standard the mobile station is required to search for the HPLMN
30 every time the HPLMN timer expires, this can cause an unnecessary drain

CONFIRMATION COPY

upon the battery power of the mobile station. For example, if the HPLMN of the mobile station is presently not located near the mobile station, the search will be done even though there is no chance of locating the HPLMN. Additionally, the mobile station can come into range of the HPLMN and
5 reassignment to the HPLMN would be delayed until expiration of the HPLMN timer. Likewise, when a mobile station is located near the border of a country wherein a first PLMN serves the first country and another PLMN serves the second country, the mobile station may get caught being served by a non-HPLMN when their HPLMN is just across the border from them, but they are
10 still within the coverage area of their serving PLMN.

Thus, some method for improving the manner in which to select a PLMN serving a mobile station would be greatly desirable in terms of reduced demands put upon the battery power of the mobile station and
15 insuring more efficient utilization of available PLMN resources by the mobile station.

SUMMARY OF THE INVENTION

The present invention overcomes the foregoing and other problems with a method for selecting a public land mobile network to serve a
20 mobile station. The mobile station receives a list of data associated with networks neighboring the PLMN currently serving the mobile station from a base station of the PLMN currently serving the mobile station. Using this list of data which may comprise a list of neighboring PLMNs, at least one mobile country code of neighboring networks, or any other type of data relating to
25 the neighboring networks of the serving PLMN, the mobile station selects a new PLMN to serve the mobile station. Once the mobile station has selected a new PLMN responsive to the provided list of data, the mobile station may change to the selected new PLMN.

BRIEF DESCRIPTION OF THE DRAWINGS

A more complete understanding of the method and apparatus of the present invention may be obtained by reference to the following Detailed Description when taken in conjunction with the accompanying Drawings wherein:

FIGURE 1 illustrates a mobile station located within one of a plurality of public land mobile networks;

FIGURE 2 is a block diagram illustrating a mobile station and a base station communicating via a wireless link and including the additional information relating to neighboring PLMNs according to the present invention;

FIGURE 3 is a flow diagram describing one method for selecting a new PLMN based upon a provided PLMN neighbor list;

FIGURE 4 is a flow diagram illustrating a method for determining a proximity to a home public mobile land network based upon provided mobile country codes; and

FIGURE 5 is an example of a situation for use of the MCC list.

DETAILED DESCRIPTION

20

Referring now to the drawings, and more particularly to FIGURE 1, there is illustrated a mobile station 10 which is located within one PLMN 15 of a plurality of adjacent PLMNs 15. Within FIGURE 1, the mobile station 10 is located within PLMN 4. PLMN 4 comprises the registered PLMN (RPLMN) of mobile station 10. In the present example, it is assumed that the home PLMN (HPLMN) of the mobile station 10 is PLMN 1. The mobile station 10 and PLMNs 15 could be utilized within any number of wireless communication systems including, but not limited to, the global system for mobile communications (GSM), a general packet radio system (GPRS), a universal mobile telecommunication system (UMTS), a personal

25
30

communication system (PCS) and Digital Advanced Mobile Phone System (D-AMPS).

Within present standards, the mobile station 10 would be required to
5 scan and search for a better PLMN to provide service to the mobile station 10
upon the occurrence of certain criteria such as movement of the mobile
station 10 from PLMN 4 to one of the other PLMNs or expiration of the
HPLMN timer. In order to improve upon this system, rather than continuously
or periodically scanning for a better PLMN 15 to serve the mobile station 10,
10 the PLMN 15 currently serving the mobile station 10 may periodically transmit
various information on neighboring PLMNs of the presently serving PLMN as
illustrated in FIGURE 2.

FIGURE 2 illustrates a mobile station 10 having a wireless
15 communications link 20 with a base station 25 of a serving PLMN 15. The
information included at the base station 25 transmitted to the mobile station
10 via the wireless communications link 20 enables the selection of the
PLMN serving the mobile station 10 and includes a neighbor list 30 and a
mobile country code (MCC) list 85. These lists may be available individually
20 or together. A neighbor list 30 includes a list of each PLMN neighboring the
PLMN presently serving the mobile station 10. Thus, in the example of
FIGURE 1, the base station 25 within PLMN 4 would transmit a list to the
mobile station 10 including PLMN 2, PLMN 3, PLMN 5, PLMN 6 and PLMN
7. Additionally, the neighbor list 30 may include PLMNs within a certain
25 distance of the serving PLMN 15 rather than only adjacent PLMNs. In these
circumstances, PLMN 1 and PLMN 8 could also be included within the
neighbor list 30 of PLMN 4. The neighbor list 30 may either be generally
broadcast from the base station 25 or selectively transmitted to a mobile
station 10, for example, during registration of the mobile station with serving
30 PLMN 15. In addition to the identity of neighborhood PLMN networks, the
neighbor list 30 could be extended to include access technology information

which is essential for the selection of the PLMN in, for example, a UMTS network.

Alternatively, or in addition to, the base station may transmit a mobile
5 country code (MCC) list 35 to the mobile station 10 via the wireless link 20.
The MCC list 35 includes the list of MCCs of countries located near the
PLMN 15 presently serving the mobile station 10. Thus, the MCC list 35 may
be empty or inactive if the base station 25 is not located in a border area and
there are no foreign PLMNs within other countries in or near the coverage
10 area of the base station 25. Like the neighbor list 30, this information may be
continuously transmitted from the base station 25 or may be periodically
provided to the mobile station 10 during, for example, registration of the
mobile station with the serving public land mobile network 15. Alternatively,
the MCC list 35 could be transmitted to the mobile station 10 any time the
15 mobile station 10 accesses the PLMN 15 within existing message protocols
such as an MM information message, SMS message or in messages
specifically defined for the purposes of transmitting this information.
Alternatively, the MCC list 35 could be transmitted to the mobile station by
means of the SIM toolkit or other messaging systems.

20

Control logic 32 enables processing of information within the PLMN
neighbor list 30 to determine and select a better PLMN, if available, and
processing of information in the MCC list 35 to determine the availability of
and enable selection of a preferred PLMN. Transceiver circuitry 34 provides
25 for the wireless line 20 between the mobile station 10 and the base station
25.

Referring now to FIGURE 3, there is illustrated one manner in which
the provided neighbor list 30 may be utilized by a mobile station 10 according
30 to the present invention. The mobile station 10 receives at step 40 the PLMN
neighbor list 30 from the base station 25. Logic 32 in the mobile station 10

analyses the provided neighbor list 30 at inquiry step 45 to monitor for a better PLMN 15 to serve the mobile station 10. Criteria for determining a better PLMN 15 may include a user preferred PLMN, an operator preferred PLMN, the home PLMN, etc. Thus, rather than periodically scanning for new
5 PLMN based upon the expiration of an HPLMN timer, the scanning will only take place when a better PLMN is determined to be available by logic 32. This conserves a battery power of mobile station 10 since no unnecessary scanning will be done. PLMN reselection will also be done as soon as a better PLMN appears, since the election of a new PLMN will not have to wait
10 upon the expiration of the HPLMN timer which may be anywhere from 6 minutes to 1,536 minutes. Thus, more efficient use of available PLMNs by the mobile station is provided. Once a better PLMN for the mobile station is located, the mobile station switches at step 50 to the newly located PLMN by scanning for the selected PLMN and switching to the PLMN once found.
15 Otherwise, inquiry step 45 continues to monitor for a better PLMN to serve the mobile station 10.

Referring now to FIGURE 4, there is a flow diagram illustrating the manner in which the MCC list 35 may be used by a mobile station 10 in
20 selecting a PLMN 15. A mobile station receives at step 55 the mobile country codes of neighboring countries. Control logic 32 uses the provided mobile country codes to determine at inquiry step 60 whether a preferred public land mobile network of the mobile station 10 (for example, a home PLMN) is associated with one of the provided mobile country codes. Once
25 inquiry step 60 determines that the HPLMN is associated with one of the provided mobile country codes, the mobile station searches at step 65 for the home PLMN by scanning for the PLMN. The search could be initiated by a timer (not shown) responsive to a match between the provided MCC and an MCC of a preferred PLMN. Once the preferred PLMN is found, the mobile
30 station changes to the preferred PLMN at step 70. If the preferred PLMN is not found, the mobile station waits a selected period of time at step 75 and

returns to scanning at step 65. If the MCC is not associated with the preferred PLMN, the mobile station returns to step 55 and continues to receive an updated MCC list 35.

- 5 The MCC list 35 would be useful in a situation such as that illustrated with respect to FIGURE 5. Here, three PLMNs are illustrated which straddle the border 100 between country X and country Y. A user traveling from work 105 located in PLMN A, his home PLMN, would cross from PLMN A into PLMN B when travelling home. At point 110 the mobile station would leave
10 the coverage area of PLMN A and be served by PLMN B. At point 115, the mobile station would enter back into the coverage area of his home PLMN A but would still be within the coverage area of PLMN B. Plan B would provide the MCC of country A to the mobile station being served within PLMN B,
15 such that the mobile station could search for and switch back to his home PLMN when the mobile station reenters the coverage area of PLMN A at point 115 using the above described process.

- Using the above described method, a mobile station may more efficiently select a PLMN to serve the mobile station without unnecessary
20 scanning which reduces the battery power of the mobile station and may more quickly and efficiently select the appropriate PLMN to serve the mobile station.

- The previous description is of a preferred embodiment for
25 implementing the invention, and the scope of the invention should not necessarily be limited by this description. The scope of the present invention is instead defined by the following claims.

PATENT CLAIMS:

1. A method for selecting a public land mobile network to serve a mobile station, comprising the steps of:
 - 5 receiving at the mobile station a list of data associated with networks neighboring a PLMN currently serving the mobile station;
selecting a new PLMN to serve the mobile station from the PLMNs neighboring the PLMN currently serving the mobile station based upon the list of data; and
 - 10 changing the mobile station to the selected new PLMN.
2. The method of Claim 1, wherein the list of data further comprises a list of PLMNs neighboring the PLMN currently serving the mobile station.
3. The method of Claim 1, wherein the list of data further comprises a list of PLMNs adjacent to the PLMN currently serving the mobile station.
- 15 4. The method of Claim 1, wherein the list of data further comprises a list of PLMNs within a selected distance of the PLMN currently serving the mobile station.
5. The method of Claim 1, wherein the list of data further comprises at least one mobile country code associated with a network neighboring the
20 PLMN currently serving the mobile station.
6. The method of Claim 5, wherein the step of selecting further comprises the step of:
determining if the at least one mobile country code is associated with a preferred PLMN of the mobile station; and

selecting the preferred PLMN of the mobile station as the new PLMN if the mobile country code is associated with the preferred PLMN.

7. The method of Claim 5, wherein the preferred PLMN comprises a home PLMN of the mobile station.

5 8. The method of Claim 1, wherein the step of receiving occurs only near a border of a country.

9. The method of Claim 1, wherein the step of receiving occurs on a periodic basis.

10 10. The method of Claim 1, wherein the step of receiving occurs on a substantially continuous basis.

11. The method of Claim 1, wherein the step of receiving occurs during registration of the mobile station with a PLMN.

12. The method of Claim 1, wherein the step of receiving further comprises the step of receiving the list of data in a MM information message.

15 13. A method for selecting a PLMN to serve a mobile station comprising the steps of:

transmitting from a base station associated with a serving PLMN to the mobile station a list of neighboring PLMNs;

20 selecting a new PLMN from the list of neighboring PLMNs as a new PLMN to serve the mobile station; and

changing the mobile station to the new PLMN.

14. The method of Claim 13, wherein the list of neighboring PLMNs further comprises a list of PLMNs adjacent to the PLMN currently serving the mobile station.

15. The method of Claim 13, wherein the list of neighboring PLMNs
5 further comprises a list of PLMNs within a selected distance of the PLMN currently serving the mobile station.

16. The method of Claim 13, wherein the step of transmitting occurs on a periodic basis.

17. The method of Claim 13, wherein the step of transmitting occurs
10 on a substantially continuous basis.

18. The method of Claim 13, wherein the step of transmitting occurs during registration of the mobile station with the serving PLMN.

19. The method of Claim 13, wherein the list of neighboring PLMNs further includes access technology.

15 20. The method of Claim 13, wherein the step of selecting further comprises the steps of:

determining a better PLMN exists for serving the mobile station from the list of neighboring PLMNs; and
scanning for the better PLMN.

20 21. The method for selecting a preferred PLMN to serve a mobile station, comprising the steps of:

transmitting from a base station associated with a serving PLMN to the mobile station at least one mobile country code associated with a neighboring network;

- 5 selecting the preferred PLMN as a new serving PLMN if the at least one mobile country code is associated with the preferred PLMN;

scanning for the preferred PLMN; and
changing the mobile station to the preferred PLMN.

22. The method of Claim 5, wherein the step of selecting further
10 comprises the step of:

determining if the at least one mobile country code is associated with the preferred PLMN of the mobile station; and

selecting the preferred PLMN of the mobile station as the new PLMN if the mobile country code is associated with the preferred PLMN.

- 15 23. The method of Claim 21, wherein the step of receiving further comprises the step of receiving the list of data in a MM information message.

24. The method of Claim 21, wherein the preferred PLMN comprises a home PLMN of the mobile station.

25. The method of Claim 1, wherein the step of transmitting further
20 comprises the step of transmitting from a base station near a border between first and second countries.

26. A mobile terminal comprising:
circuitry for wirelessly connecting the mobile terminal to a serving
PLMN network;

a neighbor list containing data received from the serving PLMN enabling selection of a PLMN neighboring the serving PLMN as a new serving PLMN; and

control logic for selecting the new serving PLMN responsive to
5 the data of the neighbor list.



27. The mobile terminal of Claim 26, wherein the neighbor list further includes a list of PLMNs neighboring the serving PLMN.

28. The mobile terminal of Claim 26, wherein the neighbor list further includes a list of PLMNs adjacent to the PLMN currently serving the
10 mobile station.



29. The mobile terminal of Claim 26, wherein the neighbor list further includes a list of PLMNs within a selected distance of the PLMN currently serving the mobile station.

30. The mobile terminal of Claim 26, wherein the neighbor list further
15 includes at least one mobile country code of a neighbor network of the PLMN currently serving the mobile station.


1/3

**FIG. 1****FIG. 2**

2/3

**FIG. 3****FIG. 4**

3/3

**FIG. 5**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069661 A3

(51) International Patent Classification⁷: H04Q 7/38

(21) International Application Number: PCT/EP02/01995

(22) International Filing Date: 22 February 2002 (22.02.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/271,937 26 February 2001 (26.02.2001) US
09/849,086 4 May 2001 (04.05.2001) US

(71) Applicant (for all designated States except US): TELEFONAKTIEBOLAGET L M ERICSSON (PUBL) [SE/SE]; S-126 25 Stockholm (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): JOHANNESSON, Regina [SE/SE]; Kvamkroken 16, S-226 47 Lund (SE).
HEDBERG, Anne-Lott [SE/SE]; Notariegränden 48, S-226 47 Lund (SE).

(74) Agent: HOFMAN-BANG ZACCO A/S; Hans Bekkevolds Allé 7, DK-2900 Hellerup (DK).

(81) Designated States (*national*): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

— with international search report

(88) Date of publication of the international search report:
27 February 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR PLMN SELECTION



(57) Abstract: A method for selecting a public land mobile network (15) to serve a mobile station (10) includes the step of receiving at the mobile station (10) a list (35) of data associated with networks (15) neighboring the PLMN (15) currently serving the mobile station (10). A new PLMN (15) to serve the mobile station (10) is selected based upon the list (35) of data, and the mobile station (10) changes to the selected new PLMN (15).

INT. NATIONAL SEARCH REPORT

National Application No
PCT/EP 02/01995

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04Q7/38

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 30479 A (ERICSSON GE MOBILE INC) 17 June 1999 (1999-06-17) page 3, line 12 - line 27 page 4, line 23 -page 6, line 4 figure 2	1-5
X	US 5 999 811 A (MOELNE ANDERS) 7 December 1999 (1999-12-07) column 3, line 21 - line 55 column 4, line 36 - line 64	1-5
A	US 5 301 359 A (SOBTI ARUN ET AL) 5 April 1994 (1994-04-05) column 2, line 29 - line 61 column 3, line 53 -column 4, line 17 figures 1-3	1-30

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

I document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

14 November 2002

Date of mailing of the international search report

21/11/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentkan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx 31 651 epo nl
Fax (+31-70) 340-3016

Authorized officer

Pacholec, D

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

/EP 02/01995

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9930479	A	17-06-1999	AU	1721299 A	28-06-1999
			WO	9930479 A1	17-06-1999
US 5999811	A	07-12-1999	AU	718104 B2	06-04-2000
			AU	2267597 A	02-09-1997
			BR	9707443 A	20-07-1999
			CN	1211376 A ,B	17-03-1999
			EP	0876736 A1	11-11-1998
			RU	2160975 C2	20-12-2000
			WO	9730561 A1	21-08-1997
US 5301359	A	05-04-1994	AU	637606 B2	03-06-1993
			AU	5343490 A	16-11-1990
			BR	9007188 A	17-12-1991
			CA	2045467 C	31-01-1995
			CN	1048638 A ,B	16-01-1991
			DE	69029133 D1	19-12-1996
			DE	69029133 T2	15-05-1997
			EP	0474641 A1	18-03-1992
			HK	1005766 A1	22-01-1999
			IL	93444 A	30-05-1994
			JP	2792232 B2	03-09-1998
			JP	4504934 T	27-08-1992
			KR	9508646 B1	03-08-1995
			WO	9013211 A1	01-11-1990

Form PCT/ISA/210 (patent family annex) (July 1992)

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069661 A3

(51) International Patent Classification⁷: H04Q 7/38

(21) International Application Number: PCT/EP02/01995

(22) International Filing Date: 22 February 2002 (22.02.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/271,937 26 February 2001 (26.02.2001) US
09/849,086 4 May 2001 (04.05.2001) US

(utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (for all designated States except US): TELEFONAKTIEBOLAGET L M ERICSSON (PUBL) [SE/SE]; S-126 25 Stockholm (SE).

Published:
— with international search report

(72) Inventors; and
(75) Inventors/Applicants (for US only): JOHANNESSON, Regina [SE/SE]; Kvarnkroken 16, S-226 47 Lund (SE).
HEDBERG, Anne-Lott [SE/SE]; Notariegränden 48, S-226 47 Lund (SE).

(88) Date of publication of the international search report:
27 February 2003

(74) Agent: ERICSSON MOBILE PLATFORMS AB; IPR Department, SE-221 83 Lund (SE).

(48) Date of publication of this corrected version:
30 October 2003

(81) Designated States (national): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE

(15) Information about Correction:
see PCT Gazette No. 44/2003 of 30 October 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR PLMN SELECTION

(57) Abstract: A method for selecting a public land mobile network (15) to serve a mobile station (10) includes the step of receiving at the mobile station (10) a list (35) of data associated with networks (15) neighboring the PLMN (15) currently serving the mobile station (10). A new PLMN (15) to serve the mobile station (10) is selected based upon the list (35) of data, and the mobile station (10) changes to the selected new PLMN (15).

WO 02/069661 A3